


## 1.1/2" square drive Titanium Impactool



The 3900 Series is the newest generation of 1" and 1.1/2" Impactools from Ingersoll Rand. They are a revolutionary design giving a leap forward in available power and durability.

The 3900 Series range offers tools in all configurations with 1" and 1.1/2" square drive anvils. Three motor sizes are used to give performances that are way ahead of anything previously available – up to a massive 6 779 Nm (5 000 ft-lb) of reverse torque.

7-vane motors power up to max speed quicker than ever before and enhanced hammer mechanisms are proven to be the most durable in the business.

### More Power

6 780 Nm (5 000 ft-lb) of maximum torque in reverse. High-performance motor package includes 7-vane rotor and bronze end plates.

### More Durability

Titanium Hammer Case, increases strength, reduces weight, and provides exceptional corrosion resistance. TwinHammer mechanism is the strongest, most durable, longest life mechanism in the industry.

### Better Ergonomics

Ergonomic handle design and textured finish provide a secure, comfortable grip.

### Specifications at 6.2 bar (90 PSI)

Part number	<b>3955B2Ti</b>
Ordering number	<b>80151103</b>
Drive size (square)	<b>1.1/2 in</b>
Also available with outside trigger	<b>3955A2Ti</b>

#### PERFORMANCE

Working torque (forward)	<b>1 600 - 3 900 ft-lb / 2 170 - 5 290 Nm</b>
Maximum torque (forward)	<b>4 700 ft-lb / 6 370 Nm</b>
Working torque (reverse)	<b>1 600 - 4 150 ft-lb / 2 170 - 5 630 Nm</b>
Maximum torque (reverse)	<b>5 000 ft-lb / 6 780 Nm</b>
Maximum free speed	<b>3 750 rpm</b>
Impacts per minute	<b>700</b>

#### AIR SYSTEM

Air inlet (NPTF)	<b>1/2 in</b>
Minimum hose size	<b>3/4 in / 19 mm</b>
Air consumption at load	<b>85 cfm / 40 l/s</b>

#### NOISE & VIBRATIONS

Impacting sound pressure / power	<b>100.2 / 112.2 dB(A)</b>
Vibration level / measurement uncertainty (ISO28927)	<b>20.8 / 8.5 m/s<sup>2</sup></b>

#### WEIGHT & DIMENSIONS

Tool weight	<b>34.5 lb / 15.7 kg</b>
Tool dimensions (l x w x h)	<b>419 x 137 x 220 mm</b>
Shipping weight	<b>37.6 lb / 17.1 kg</b>
Shipping dimensions (l x w x h)	<b>580 x 250 x 170 mm</b>
UPC/EAN Code	<b>Not Available</b>
Origin	<b>Assembled in USA</b>

[www.ingersollrandproducts.com](http://www.ingersollrandproducts.com)

Nothing contained within this brochure is intended to extend any warranty or representation, expressed or implied, regarding the products described herein. Any such warranties or other items or conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request. Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation.

© 2008 Ingersoll-Rand Company — Form No. 3955B2Ti - ENG 2.1