

ALLOY PIN DEE AND BOW SHACKLES

to U.S. Federal Specification RR-C-271b



DEE AND BOW WITH SCREW PIN

DEE AND BOW WITH BOLT, NUT, SPLIT PIN

Dee & Bow SWL short tons*	Dee & Bow body dia mm	Dee & Bow pin dia mm	Dee & Bow inside width at pin mm	Bow only inside width at bow mm	Dee only inside length mm	Bow only inside length mm	Dee only approx. weight kg	Bow only approx. weight kg
0,5	6	8	12	19	23	27	0,05	0,05
0,75	8	10	13	21	20	31	0,08	0,10
1	10	11	17	26	33	37	0,11	0,14
1,5	11	13	18	29	37	44	0,18	0,19
2	13	16	20	33	46	48	0,27	0,29
3,25	16	20	27	43	52	61	0,55	0,63
4,75	20	22	30	51	61	71	1,02	1,06
6,5	22	25	36	58	76	84	1,43	1,53
8,5	25	28	44	67	83	95	2,16	2,42
9,5	28	32	47	73	91	107	3,06	3,09
12	32	35	52	81	101	119	4,11	4,31
13,5	35	38	58	91	118	134	5,28	6,02
17	38	42	61	98	125	144	7,24	8,04
25	44	51	74	126	150	180	12	14
35	51	56	85	143	170	197	19	21
55	64	70	105	184	203	267	33	39
85	76	85	128	215	215	315	56	70
120	89	95	133	230	240	365	98	120
150	102	108	141	250	-	375	-	140

* One short ton = 0,907 metric tons

LARGE DEE SHACKLES

to British Standard Specification 3032

SWL Metric tons	Body diameter mm	Pin diameter mm	Inside width mm	Inside length mm	Approx. weight kg
0,5	10	12	19	38	0,17
0,75	13	16	25	46	0,35
1,5	16	19	32	68	0,66
2	19	22	38	73	1,02
3	22	24	44	80	1,57
3,75	25	28	50	94	2,3
5	28	32	55	101	3,2
6	32	36	61	112	4,3
7	35	38	67	127	5,4
9,5	38	44	70	137	6,8
13	44	51	83	156	11,0
16,25	51	57	98	187	20,0
20	57	64	110	210	26,8

LARGE DEE SHACKLES ARE ALSO AVAILABLE UNGALVANISED